

# Air Monitoring Summary Tables

The table below summarizes monitoring data collected using a portable wireless remote monitoring system.

All times in Eastern Standard Time (EST).

**From:** 3/7/22 12:00 am

**To:** 3/7/22

11:59 pm

## Offsite Monitors

| Instrument                | Analyte          | ATSDR MRL<br>14-day Avg<br>Reached? | Concentration<br>Range Detected <sup>a</sup> | 24-hr Average <sup>a</sup> | 7-day<br>Average | ATSDR<br>14-day MRL |
|---------------------------|------------------|-------------------------------------|--|----------------------------|------------------|---------------------|
| <b>Catawba Headstart</b>  |                  |                                     |  |                            |                  |                     |
| Acrulog PPB               | H <sub>2</sub> S | No                                  | 0 – 0 ppb                                    | 0.00 ppb                   | 0.00 ppb         | 70 ppb              |
| <b>Treetops</b>           |                  |                                     |  |                            |                  |                     |
| Acrulog PPB               | H <sub>2</sub> S | No                                  | 0 – 0 ppb                                    | 0.00 ppb                   | 0.02 ppb         | 70 ppb              |
| <b>Liberty Hill</b>       |                  |                                     |  |                            |                  |                     |
| Acrulog PPB               | H <sub>2</sub> S | No                                  | 0 – 0 ppb                                    | 0.00 ppb                   | 0.00 ppb         | 70 ppb              |
| <b>Riverchase Estates</b> |                  |                                     |  |                            |                  |                     |
| Acrulog PPB               | H <sub>2</sub> S | No                                  | 0 – 0 ppb                                    | 0.00 ppb                   | 0.03 ppb         | 70 ppb              |
| <b>Millstone Creek</b>    |                  |                                     |  |                            |                  |                     |
| Acrulog PPB               | H <sub>2</sub> S | No                                  | 0 – 0 ppb                                    | 0.00 ppb                   | 0.06 ppb         | 70 ppb              |

## Onsite Fenceline Monitors


| Instrument       | Analyte          | 30-min AEGL<br>Reached? | Concentration<br>Range Detected <sup>a</sup> | 24-hr Average <sup>a</sup> | 7-day Average | 30-min AEGL |
|------------------|------------------|-------------------------|--|----------------------------|---------------|-------------|
| <b>Station 1</b> |                  |                         |  |                            |               |             |
| TAPI Analyzer    | H <sub>2</sub> S | No                      | 0 – 1 ppb                                    | 0.35 ppb                   | 2.32 ppb      | 600 ppb     |
| <b>Station 2</b> |                  |                         |  |                            |               |             |
| TAPI Analyzer    | H <sub>2</sub> S | No                      | 0 – 4 ppb                                    | 1.14 ppb                   | 1.21 ppb      | 600 ppb     |
| <b>Station 3</b> |                  |                         |  |                            |               |             |
| TAPI Analyzer    | H <sub>2</sub> S | No                      | 0 – 7 ppb                                    | 3.29 ppb                   | 2.51 ppb      | 600 ppb     |

<sup>a</sup> Based on 30-minute averages.

### Notes:

|                  |   |
|------------------|---|
| ATSDR MRL        | Agency for Toxic Substances and Disease Registry Minimal Risk Level (MRL) |
| AEGL             | EPA Acute Exposure Guidelines Levels                                      |
| H <sub>2</sub> S | Hydrogen Sulfide  |
| TAPI             | Teledyne API H <sub>2</sub> S Analyzer                                    |
| hr               | Hour  |
| min              | Minute  |
| ppb              | Parts per billion   |
| MRL Limit        | Limit defined as a 14-day average value.                                  |

**Wind rose – Shows the direction the wind is coming from, the monitoring station being at the center of the rose.**





#### Legend



Offsite Fixed Monitoring Locations



Onsite Fixed Monitoring Locations



New-Indy Catawba


## Period H<sub>2</sub>S Monitoring Hydrogen Sulfide Offsite Monitors

Below are graphs for offsite locations where hydrogen sulfide (H<sub>2</sub>S) was detected during the current reporting period.


The five stand-alone H<sub>2</sub>S monitoring stations correlate with five previous EPA's Viper monitoring system which includes areas to the north-northeast and south-southwest of the New-Indy Catawba Mill.

Winds came from the south-southwest at 5 to 17 miles per hour.


See wind rose diagram with aerial map figure for full wind data during this reporting period.




### Treetops - 3/7/2022




### Liberty Hill - 3/7/2022



### Riverchase Estates - 3/7/2022



### Millstone Creek - 3/7/2022





## Period H<sub>2</sub>S Monitoring Hydrogen Sulfide Onsite Monitors

Below are graphs for onsite locations during the current reporting period.

Depending on wind direction, the H<sub>2</sub>S measured at the onsite fence line locations may not exit mill property at reported concentrations. Wind directions from offsite locations, blowing onto mill property, will disperse ambient concentrations to lower levels prior to exiting the plant site.

Winds came from the south-southwest at 5 to 17 miles per hour.

See wind rose diagram with aerial map figure for full wind data during this reporting period.



### Station3 - 3/7/2022

