Air Monitoring Summary Tables

Analyte

This table summarizes monitoring data collected using DHEC monitors and EPA's Viper wireless remote monitoring system.

Project Name: H2S in South Carolina

From: 5/25/23 To: 5/25/23 12:00 AM 11:59 PM

ATSDR MRL

ST EC



Period Average

ATSDR MRL

		exceedance:	Reaulitys	Detections							
SPM Flex 3	H2S	No	2880	0	0 - 0 ppb	0 ppb	70 ppb				
Catawba Express											
		AT SDD MDI	Number of	Number of							

Number of

Concentration Range

Catawba Express												
Instrument	Analyte	ATSDR MRL Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	ATSDR MRL					
SPM Flex 2	H2S	No	2880	0	0 - 0 ppb	0 ppb	70 ppb					

Notes:

Catawba River

Instrument

Hydrogen sulfide concentrations presented in this data summary table are converted from parts per million, the instrument readout units, to parts per billion. The SPM FLEX Minimum Detectable Limit (MDL) is 1 ppb of Hydrogen Sulfide.

ATSDR MRL Agency for Toxic Substances and Disease Registry Minimal Risk Level - Acute Exposure (<14 days)


H₂S Hydrogen Sulfide

hr Hour

ppb Parts per billion

MRL Exceedance Defines if the 24-hr TWA exceeded the MRL at any time during the period of this report

SPM Single Point Monitor TWA Time Weighted Average



H₂S in South Carolina

Hydrogen Sulfide 15-min and 24-hr Time Weighted Average Graphs

Winds were calm to light and variable throughout the period. When detected, wind generally came from the north northeast (morning) and east (after noon).

