Air Monitoring Summary Tables

The table below summarizes monitoring data collected using a portable wireless remote monitoring system. All times in Eastern Standard Time (EST).

From: 12/31/23 12:00 am

12/31/23 11:59 pm

Offsite Monitors

Instrument	Analyte	ATSDR MRL 14-day Avg Reached?	vg Concentration Range Detected ^a 24-hr Av		7-day Average	ATSDR 14-day MRL	
Catawba Headsta	art						
Acrulog PPB	H_2S	No	0 - 0 ppb	0.00 ppb	0.00 ppb	70 ppb	
Treetops							
Acrulog PPB	H_2S	No	0 - 0 ppb	0.00 ppb	0.00 ppb	70 ppb	
Liberty Hill							
Acrulog PPB	H_2S	No	0 - 0 ppb	0.00 ppb	0.00 ppb	70 ppb	
Riverchase Estates							
Acrulog PPB	H_2S	No	0-0 ppb	0.00 ppb	0.01 ppb	70 ppb	
Millstone Creek							
Acrulog PPB	H_2S	No	0-0 ppb	0.04 ppb	0.01 ppb	70 ppb	

To:

Onsite Fenceline Monitors

Instrument	Analyte	30-min AEGL Reached?	Concentration Range Detected ^a	24-hr Average ^a	7-day Average	30-min AEGL	
Station 1							
TAPI Analyzer	H_2S	No	0-2 ppb	0.30 ppb	0.97 ppb	600 ppb	
Station 2							
TAPI Analyzer	H_2S	No	1 – 5 ppb	1.49 ppb	1.37 ppb	600 ppb	
Station 3							
TAPI Analyzer	H_2S	No	0-4 ppb	1.13 ppb ^b	1.06 ppb	600 ppb	


^a Based on 30-minute averages.

^b The 24-hour H₂S average at Station 3 is calculated using the data from the back-up unit due to the removal of the primary unit for maintenance.

Notes:

ATSDR MRL	Agency for Toxic Substances and Disease Registry Minimal Risk Level (MRL)
AEGL	EPA Acute Exposure Guidelines Levels
H_2S	Hydrogen Sulfide
TAPI	Teledyne API H ₂ S Analyzer
hr	Hour
min	Minute
ppb	Parts per billion
MRL Limit	Limit defined as a 14-day average value.

Station 1 Wind Rose – Shows the direction the wind is coming from, the monitoring station being at the center of the rose.






Period H₂S Monitoring Hydrogen Sulfide Offsite Monitors


Below are graphs for offsite locations where hydrogen sulfide (H_2S) was detected during the current reporting period.

The five stand-alone H_2S monitoring stations correlate with five previous EPA's Viper monitoring system which includes areas to the north-northeast and south-southwest of the New-Indy Catawba Mill.


Winds were predominantly coming from the southwest, south-southwest, south, and south-southeast direction throughout the day at 1 to 12 mph.


See wind rose diagram with aerial map figure for full wind data during this reporting period.












Period H₂S Monitoring Hydrogen Sulfide Onsite Monitors


Below are graphs for onsite locations during the current reporting period.


Depending on wind direction, the H_2S measured at the onsite fence line locations may not exit the mill property at reported concentrations. Wind directions from offsite locations, blowing onto mill property, will disperse ambient concentrations to lower levels prior to exiting the plant site.

Winds were predominantly coming from the southwest, south-southwest, south, and south-southeast direction throughout the day at 1 to 12 mph.

See wind rose diagram with aerial map figure for full wind data during this reporting period.







Submitted Fenceline H ₂ S and Met 30-minute Data

	Station 1			Station 2			Station 3		
30-Minute Avgs	H2S Met		H2S Met		H2S Met				
12/21/2022	30min Avg	30min	30min	30min Avg	30min	30min	30min Avg	30min	30min
12/31/2023	H2S Conc.	Avg WS	Avg WD	H2S Conc.	Avg WS	Avg WD	H2S Conc.	Avg WS	Avg WD
Date / Time	ppb	mph	degrees	ppb	mph	degrees	ppb	mph	degree
12/31/2023 0:30	BF	2.3	220	0.6	1.6	181	2.4	0.8	160
12/31/2023 1:00	BF	2.3	219	BF	1.0	204	2.4	0.8	152
12/31/2023 1:30	1.5	2.9	196	BF	1.0	7	BF	0.7	152
12/31/2023 2:00	0.6	2.0	190	2.0	0.7	67	BF	0.4	358
12/31/2023 2:30	0.5	2.0	167	1.2	0.7	60	ыг 1.8	0.5	62
12/31/2023 3:00	0.5	1.8	168	0.9	0.9	109	0.7	0.4	165
12/31/2023 3:30	0.4	1.7	195	0.6	1.3	149	0.2	0.6	171
12/31/2023 4:00	0.4	1.9	184	0.7	1.5	176	0.2	0.3	288
12/31/2023 4:30	0.4	1.9	187	0.7	1.5	179	0.6	0.3	186
12/31/2023 5:00	0.2	2.1	182	0.6	1.3	168	0.2	0.5	169
12/31/2023 5:30	0.2	1.8	190	0.6	1.4	189	0.2	0.3	206
12/31/2023 6:00	0.2	2.0	173	0.7	0.6	299	0.8	0.2	131
12/31/2023 6:30	0.2	2.3	151	0.7	0.9	41	0.8	0.2	147
12/31/2023 7:00	0.2	2.1	166	0.7	0.5	6	0.2	0.4	306
12/31/2023 7:30	0.2	1.7	161	0.9	0.8	34	0.2	0.4	7
12/31/2023 8:00	0.2	1.3	188	0.9	0.6	343	0.2	0.4	334
12/31/2023 8:30	0.2	1.7	195	0.9	0.4	360	0.2	0.4	281
12/31/2023 9:00	0.2	2.3	187	0.7	1.4	226	0.5	0.8	221
12/31/2023 9:30	0.2	3.3	194	1.1	2.5	207	3.7	1.4	211
12/31/2023 10:00	0.4	2.8	178	3.9	1.7	204	1.5	1.3	176
12/31/2023 10:30	0.5	1.8	180	3.6	1.2	218	3.3	1.4	142
12/31/2023 11:00	0.5	2.2	202	1.4	1.3	146	1.0	1.5	113
12/31/2023 11:30	0.2	3.7	179	1.0	2.1	161	0.2	1.8	144
12/31/2023 12:00	0.2	4.8	196	1.0	4.2	226	0.4	2.8	201
12/31/2023 12:30	0.2	3.9	208	0.9	4.5	241	0.4	2.7	192
12/31/2023 13:00	0.2	5.1	212	0.8	5.3	240	0.2	3.7	212
12/31/2023 13:30	0.2	7.1	194	0.7	4.8	231	0.4	3.4	203
12/31/2023 14:00	0.2	5.8	217	0.5	5.4	227	0.5	3.5	196
12/31/2023 14:30	0.2	4.2	182	0.5	5.0	228	0.5	4.0	219
12/31/2023 15:00	0.2	11.9	217	0.6	5.4	230	0.2	3.5	228
12/31/2023 15:30	0.2	5.8	212	0.6	5.5	232	0.7	2.6	230
12/31/2023 16:00	0.2	5.7	212	1.1	6.1	236	1.0	3.7	224
12/31/2023 16:30	0.2	6.1	211	1.7	6.5	241	0.5	2.8	258
12/31/2023 17:00	0.2	5.7	240	3.6	5.3	240	0.2	2.3	264
12/31/2023 17:30	0.2	2.5	202	3.4	3.3	226	0.2	0.9	277
12/31/2023 18:00	0.2	2.2	176	1.1	1.2	157	2.3	0.5	216
12/31/2023 18:30	0.2	2.1	200	0.8	0.4	256	2.9	0.6	201
12/31/2023 19:00	0.2	2.1	220	0.5	0.8	231	1.2	1.1	202
12/31/2023 19:30	0.2	2.6	217	1.0	1.6	227	1.1	1.0	196
12/31/2023 20:00	0.5	4.3	216	4.3	1.4	230	2.0	0.9	158
12/31/2023 20:30	0.4	4.7	210	4.7	1.5	222	2.7	1.1	167
12/31/2023 21:00	0.4	3.0	205	2.5	1.9	208	3.4	1.1	182
12/31/2023 21:30	0.2	3.5	203	1.4	1.3	208	2.8	1.4	182
12/31/2023 22:00	0.2	4.2	201	3.5	0.9	219	1.4	0.8	159
12/31/2023 22:30	0.2	3.9	202	4.8	0.9	349	0.9	0.8	139
12/31/2023 22:30	0.2	3.9	212	4.8	1.3	171	1.4	1.8	137
12/31/2023 23:30 1/1/2024 0:00	0.2	3.4 3.8	209 207	0.9 1.9	0.9 1.2	237 250	1.3 2.1	1.6 1.8	196 196

AQS Null Data Codes					
Qualifier	Item Description				
Code					
AB	TECHNICIAN UNAVAILABLE				
AC	CONSTRUCTION/REPAIRS IN AREA				
AD	SHELTER STORM DAMAGE				
AE	SHELTER TEMPERATURE OUTSIDE LIMITS				
AI	INSUFFICIENT DATA (CAN'T CALCULATE)				
AM	MISCELLANEOUS VOID				
AN	MACHINE MALFUNCTION				
AO	BAD WEATHER				
AP	VANDALISM				
AS	POOR QUALITY ASSURANCE RESULTS				
AT	CALIBRATION				
AU	MONITORING WAIVED				
AV	POWER FAILURE (POWR)				
AW	WILDLIFE DAMAGE				
AX	PRECISION CHECK (PREC)				
AY	Q C CONTROL POINTS (ZERO/SPAN)				
AZ	Q C AUDIT (AUDT)				
BA	MAINTENANCE/ROUTINE REPAIRS				
BB	UNABLE TO REACH SITE				
BC	MULTI-POINT CALIBRATION				
BD	AUTO CALIBRATION				
BE	BUILDING/SITE REPAIR				
BF	PRECISION/ZERO/SPAN				
BJ	OPERATOR ERROR				
BK	SITE COMPUTER/DATA LOGGER DOWN				
EC	EXCEED CRITICAL CRITERIA				